

# WEED GATOR RTU

## Safety Data Sheet

### SECTION 1: Product and company identification

Product name : WEED GATOR RTU  
Use of the substance/mixture : Herbicide  
Product code : 0322  
Company : EMPIRE INDUSTRIES  
PO BOX 1404  
BRENTWOOD, TN 37024 - US  
T 866-553-6747  
Emergency number : 866-553-6747

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

GHS-US classification  
Flam. Liq. 3 H226  
Acute Tox. 4 (Dermal) H312  
Acute Tox. 4 (Inhalation:dust,mist) H332  
Skin Irrit. 2 H315  
Eye Irrit. 2 H319  
Muta. 1B H340  
Carc. 1B H350  
STOT SE 3 H336  
STOT RE 2 H373  
Asp. Tox. 1 H304

#### 2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US) :



GHS02

GHS07

GHS08

Signal word (GHS US) :

Hazard statements (GHS US) :

Danger  
Flammable liquid and vapour  
May be fatal if swallowed and enters airways  
Harmful in contact with skin or if inhaled  
Causes skin irritation  
Causes serious eye irritation  
May cause drowsiness or dizziness  
May cause genetic defects.  
May cause cancer.  
May cause damage to organs (liver, thymus, bone marrow) through prolonged or repeated exposure  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Keep container tightly closed.  
Ground/Bond container and receiving equipment.  
Use explosion-proof electrical, lighting, ventilating equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Do not breathe mist, spray, vapours.  
Avoid breathing mist, spray, vapours.  
Wash hands thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear eye protection, protective clothing, protective gloves.  
If swallowed: Immediately call a doctor, a POISON CENTER.  
If on skin: Wash with plenty of soap and water.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If exposed or concerned: Get medical advice/attention.  
Call a doctor, a POISON CENTER if you feel unwell.  
Get medical advice or attention if you feel unwell.  
Specific treatment (see First aid measures on this label).  
Do NOT induce vomiting.  
If skin irritation occurs: Get medical advice or attention.

Precautionary statements (GHS US) :

# WEED GATOR RTU

## Safety Data Sheet

If eye irritation persists: Get medical advice or attention.  
Take off contaminated clothing and wash it before reuse.  
In case of fire: Use ABC-powder, alcohol resistant foam, carbon dioxide (CO2) to extinguish.  
Store in a well-ventilated place. Keep container tightly closed.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Fuels, Diesel, No. 2	(CAS-No.) 68476-34-6	75.0 - 90.0	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Carc. 2, H351 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304
Distillates (petroleum), hydrodesulfurized middle	(CAS-No.) 64742-80-9	65 - 85*	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Carc. 1B, H350 STOT RE 2, H373 Asp. Tox. 1, H304
kerosine(petroleum), hydrodesulfurized	(CAS-No.) 64742-81-0	30 - 60*	STOT SE 3, H336 Asp. Tox. 1, H304
Distillates (Petroleum), Hydrodesulfurized Light Catalytic Cracked	(CAS-No.) 68333-25-5	30 - 60*	Carc. 1B, H350
C9-15 Heavy Aromatic Hydrocarbons	(CAS-No.) 64742-95-6	7.0 - 13.0	Flam. Liq. 3, H226 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304
Octoxynol	(CAS-No.) 9036-19-5	3.0 - 7.0	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Prometon: 2,4-bis(isopropylamino)-6-methoxy-s-triazine	(CAS-No.) 1610-18-0	3.0 - 7.0	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Butanol	(CAS-No.) 71-36-3	1.0 - 5.0	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315

# WEED GATOR RTU

## Safety Data Sheet

			Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335
Phenoxyethanol	(CAS-No.) 122-99-6	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 STOT SE 3, H335
Naphthalene	(CAS-No.) 91-20-3	<0.5	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Carc. 2, H351 Aquatic Acute 1, H400

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
- First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : May be fatal if swallowed and enters airways. Harmful if inhaled. Harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May cause genetic defects (through prolonged or repeated exposure). May cause cancer. May cause damage to organs (liver, thymus, bone marrow) through prolonged or repeated exposure.
- Symptoms/effects after inhalation : Harmful if inhaled. May cause drowsiness or dizziness.
- Symptoms/effects after skin contact : Causes skin irritation.
- Symptoms/effects after eye contact : Causes serious eye irritation.
- Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Dry chemical powder. Carbon dioxide. Alcohol-resistant foam.
- Unsuitable extinguishing media : Solid water jet ineffective as extinguishing medium.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapour.
- Reactivity : On burning: release of toxic and corrosive gases/vapours (nitrous vapours, sulphur oxides, carbon monoxide - carbon dioxide). If the product is involved in a fire, it can release toxic chlorine gases. Reacts violently with (strong) oxidizers.

#### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources. Use special care to avoid static electric charges.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Protective goggles. Gloves. Protective clothing.
- Emergency procedures : Evacuate unnecessary personnel. No naked flames or sparks.

##### 6.1.2. For emergency responders

# WEED GATOR RTU

## Safety Data Sheet

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain released product, collect/pump into suitable containers.  
Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation. Take up liquid spill into inert absorbent material, e.g.: sand/earth. Clean contaminated surfaces with a soap solution.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Do not breathe vapours. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Take precautions against electrostatic charges. Obtain special instructions before use. Remove contaminated clothing immediately.  
Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.  
Storage conditions : Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from: sparks, open flames, excessive heat.  
Incompatible products : Oxidizing agent.  
Incompatible materials : Sources of ignition.  
Storage area : Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place. Keep locked up.  
Special rules on packaging : Keep only in original container. meet the legal requirements.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### WEED GATOR RTU

ACGIH	Not applicable
OSHA	Not applicable

#### Prometon: 2,4-bis(isopropylamino)-6-methoxy-s-triazine (1610-18-0)

ACGIH	Not applicable
OSHA	Not applicable
Not applicable	

#### C9-15 Heavy Aromatic Hydrocarbons (64742-95-6)

ACGIH	Not applicable
OSHA	Not applicable
Not applicable	

#### Octoxynol (9036-19-5)

ACGIH	Not applicable
OSHA	Not applicable
Not applicable	

#### Phenoxyethanol (122-99-6)

ACGIH	Not applicable
OSHA	Not applicable
Not applicable	

#### Butanol (71-36-3)

# WEED GATOR RTU

## Safety Data Sheet

ACGIH	Not applicable	
OSHA	OSHA PEL TWA	300 mg/m <sup>3</sup>
OSHA	OSHA PEL TWA	100 ppm

### kerosine(petroleum), hydrodesulfurized (64742-81-0)

ACGIH	ACGIH® TLV® TWA	200 mg/m <sup>3</sup> (Application restricted to conditions in which there are negligible aerosol exposures)
ACGIH	Remark (ACGIH®)	Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure)
OSHA	Not applicable	

### Fuels, Diesel, No. 2 (68476-34-6)

ACGIH	Not applicable	
OSHA	Not applicable	
Not applicable		

### Naphthalene (91-20-3)

ACGIH	ACGIH® TLV® TWA	52 mg/m <sup>3</sup>
ACGIH	ACGIH® TLV® TWA	10 ppm
ACGIH	Remark (ACGIH®)	TLV® Basis: URT irr; Cataracts; Hemolytic anemia. Notations: Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
OSHA	OSHA PEL TWA	50 mg/m <sup>3</sup>
OSHA	OSHA PEL TWA	10 ppm

### Distillates (petroleum), hydrodesulfurized middle (64742-80-9)

ACGIH	Not applicable	
OSHA	Not applicable	
Not applicable		

### Distillates (Petroleum), Hydrodesulfurized Light Catalytic Cracked (68333-25-5)

ACGIH	Not applicable	
OSHA	Not applicable	
Not applicable		

## 8.2. Exposure controls

- Appropriate engineering controls : Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.
- Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Protective clothing. Protective goggles. Safety glasses.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Clear, red colored liquid
- Odour : Petroleum-like.

# WEED GATOR RTU

## Safety Data Sheet

Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 123 °F
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20°C	: No data available
Density	: 0.87 g/ml
Solubility	: Emulsifies in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: < 20 cSt
Viscosity, dynamic	: No data available
VOC content	: > 90 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

On burning: release of toxic and corrosive gases/vapours (nitrous vapours, sulphur oxides, carbon monoxide - carbon dioxide). If the product is involved in a fire, it can release toxic chlorine gases. Reacts violently with (strong) oxidizers.

#### 10.2. Chemical stability

Combustible liquid. Stable under normal conditions. Risk of explosion if heated under confinement. Heating may cause a fire or explosion.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

Oxidizing agents.

#### 10.6. Hazardous decomposition products

Thermal decomposition produces: CO, CO<sub>2</sub>, Oxides of nitrogen and other potentially toxic fumes.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : No data available

##### C9-15 Heavy Aromatic Hydrocarbons (64742-95-6)

LD50 oral rat	> 2000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 3160 mg/kg (Rabbit, Dermal)

##### Phenoxyethanol (122-99-6)

ATE CLP (oral)	500 mg/kg bodyweight
----------------	----------------------

##### Butanol (71-36-3)

ATE CLP (oral)	500 mg/kg bodyweight
----------------	----------------------

##### Fuels, Diesel, No. 2 (68476-34-6)

LD50 oral rat	> 7600 mg/kg
LD50 dermal rat	> 4300 mg/kg
LC50 Inhalation - Rat	4.1 mg/l

##### Naphthalene (91-20-3)

# WEED GATOR RTU

## Safety Data Sheet

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 16000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal rabbit	2500 mg/kg Source: ChemIDplus
LC50 Inhalation - Rat	> 0.4 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, (maximum achievable concentration), Inhalation (vapours), 14 day(s))
ATE CLP (oral)	500 mg/kg bodyweight

### Distillates (petroleum), hydrodesulfurized middle (64742-80-9)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	4.6 mg/l

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: No data available (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer.

### Naphthalene (91-20-3)

IARC group	2B - Possibly carcinogenic to humans, 2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen

Reproductive toxicity	: No data available (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: May cause damage to organs (liver, thymus, bone marrow) through prolonged or repeated exposure.

### Naphthalene (91-20-3)

LOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
LOAEC (inhalation, rat, vapour, 90 days)	0.011 mg/l air Animal: rat, Guideline: EPA OPP 82-4 (90-Day Inhalation Toxicity), Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/effects after inhalation	: Harmful if inhaled. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways.
Likely routes of exposure	: Skin and eyes contact;Inhalation

## SECTION 12: Ecological information

### 12.1. Toxicity

C9-15 Heavy Aromatic Hydrocarbons (64742-95-6)	
LC50 - Fish [1]	18 mg/l (Pisces)
EC50 - Crustacea [1]	21 mg/l (Daphnia sp.)

Naphthalene (91-20-3)	
LC50 - Fish [1]	0.96 ppm (Oncorhynchus gorbuscha, Flow-through system, Salt water, Experimental value, Lethal)
EC50 - Crustacea [1]	2.16 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
NOEC (chronic)	0.59 mg/l Test organisms (species): Daphnia pulex Duration: '125 d'

### 12.2. Persistence and degradability

C9-15 Heavy Aromatic Hydrocarbons (64742-95-6)	
--	--

# WEED GATOR RTU

## Safety Data Sheet

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

Naphthalene (91-20-3)	
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	0.22 g O <sub>2</sub> /g substance
ThOD	2.99 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

C9-15 Heavy Aromatic Hydrocarbons (64742-95-6)	
Partition coefficient n-octanol/water (Log Pow)	> 3

Naphthalene (91-20-3)	
BCF - Fish [1]	23 – 168 (OECD 305: Bioconcentration: Flow-Through Fish Test, 8 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	3.4 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to comply with local/regional/national regulations.

## SECTION 14: Transport information

### Department of Transportation (DOT)

Transport document description (DOT) : UN1993 Flammable liquids, n.o.s. (Aliphatic Hydrocarbons), 3, III  
UN-No. (DOT) : UN1993  
Proper Shipping Name (DOT) : Flammable liquids, n.o.s.  
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120  
Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : III - Minor Danger  
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203  
DOT Packaging Bulk (49 CFR 173.xxx) : 242  
DOT Symbols : G - Identifies PSN requiring a technical name  
DOT Special Provisions (49 CFR 172.102) : B1,B52,IB3,T4,TP1,TP29  
DOT Packaging Exceptions (49 CFR 173.xxx) : 150  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 60 L  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 220 L  
DOT Vessel Stowage Location : A

### Additional information

Emergency Response Guide (ERG) Number : 128  
Other information : When transported by ground in non-bulk containers, this product utilizes the exception found under 49 CFR 173.150. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

### ADR

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

# WEED GATOR RTU

## Safety Data Sheet

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

#### Butanol (71-36-3)

CERCLA RQ 5000 lb

#### Naphthalene (91-20-3)

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ 100 lb

#### FIFRA Labelling

EPA Registration Number 10088-55

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

FIFRA Signal Word Caution


FIFRA Human Health Hazards Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

#### WARNING

This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### SECTION 16: Other information

- Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.
- NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
- NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
- NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.